

innovation first®


**RETAIL**  
SOLUTIONS  
CATALOGUE  
**2026**

Discover our shelf profiles engineered for seamless integration with advanced ESL technologies.

**EXCLUSIVE PROGRAM  
COMPATIBLE WITH SOLUM NEWTON ESLs**

✓ **NEWTON • CORE • CORE+ • PRO • LITE**

**SHELF  
PROFILES**



# SHELF PROFILES

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM NEWTON ESLs**

## INDEX

### PAGE

10-22

Standard series profiles (PEE)

ADHESIVE | 1099 / 1100 / 1150 / 1155 / 1160 / 1174 / 1175 /  
1177 / 1370 / 2300 / 1600 / 1650

AMBIENT | 1125 / 1126 / 1130 / 1180 / 1185 / 1190 / 1195 /  
1196 / 1250 / 1260 / 1275 / 1295 / 1300 / 1318 /  
1375 / 1380 / 1400 / 1415 / 1420 / 1425 / 1435

CLAMPS | 1200 / 1225 / 1230 / 1325 / 1330 / 1450

FRIDGE | 1270 / 1290 / 1310 / 1350

WITH  
BUMPERS | 1135 / 3180 / 3185 / 3190 / 3195 / 3196

22-23

Accessories for profiles

PEE1550 / OVA-090001-15 / OVA-03010-00 / OVA-03015-00

24-26

Makro/metro series profiles (PEE)

2000 / 2050 / 2075 / 2100 / 2025 / 2125 / 2150

27-29

Promo system

30-34

Our projects

## Newton

Discover the newest and best version  
of the Electronic Shelf labels.

## Newton Pro

Next-Generation Shelf Labeling Solution.

## Newton CORE

Cost-Efficient Solution for Digitalized Retail.

## Newton LITE

Small and simple, yet powerful as Newton.

## Newton Industrial

Large-Scale Automation Made Easy.



# SHELF PROFILES

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM NEWTON ESLs**



NEWTON



NEWTON PRO



NEWTON CORE



NEWTON CORE+




NEWTON LITE




NEWTON INDUSTRIAL

**Manufactured from high-quality PVC**, our electronic label profiles offer a durable, resilient, and visually adaptable solution for retail environments. Available in solid colors and transparent finishes, they ensure seamless integration with shelving and commercial displays.


**Secure and precise attachment to various shelving systems**, enabled by the rear section design of the profile, optimized to fit the wide range of configurations found in the retail environment.





**The FLIP-UP system** allows quick insertion and replacement of electronic labels, reducing operational time. It also enables tilt adjustment through additional accessories, improving price visibility on shelves at different heights (available in select models).



**Soft PVC filament** located on the front. It acts as a flexible retaining band that ensures a secure fit of the label, preventing accidental displacement.



**With a dedicated 'angle holder' section**, allowing the profile to tilt at 15° or 30°, depending on display requirements (Available in select models).



| SHELF | DESCRIPTION | CODE PEE |
|-------|-------------|----------|
|-------|-------------|----------|



FLAT SHELVES

1099, 1100,  
1150, 1155,  
1160, 1174,  
1175, 1370



FLAT SHELVES

1099, 1100,  
1150, 1174,  
1175, 1370




FLAT SHELVES

1099, 1100,  
1150, 1174,  
1175, 1370



STOREBEST

1125, 1126,  
1135



TEGOMETAL


1125, 1126,  
1135



LINDE /  
COSTAN


1125, 1126

| SHELF | DESCRIPTION | CODE PEE |
|-------|-------------|----------|
|-------|-------------|----------|




SAURINA / MDT

1250, 1135




ZAF  
(OLD VERSION)

1435




HMY-P25

1275




HMY P-50

1260















ALSER/  
INNOVATION V4

1275




SIDAC

1180

| SHELF                                                                               | DESCRIPTION                    | CODE PEE   | SHELF                                                                                | DESCRIPTION                | CODE PEE   |
|-------------------------------------------------------------------------------------|--------------------------------|------------|--------------------------------------------------------------------------------------|----------------------------|------------|
|    | LA FORTEZZA F25                | 1295       |     | "C" CHANNEL 39 mm.         | 1196, 3196 |
|    | INTRAC-ARNEG AMX35             | 1185       |    | ARNEG OXACA                | 1290       |
|    | INTRAC IMZ25 (FIRST)           | 1380       |     | BONET NÈVÈ                 | 1350       |
|    | INTRAC IMZ25                   | 1375       |    | LINDE / COSTAN             | 1350, 1310 |
|    | CAEM T25                       | 1300       |    | CARRIER                    | 1310       |
|  | KIDER KS CEFLA S25 MODERN EXPO | 1300       |  | WANZL                      | 1425       |
|  | AFS SYSTEM 20                  | 1318       |  | WANZL DIAMETER UP TO 8 mm. | 1325       |
|  | CEFLA SYSTEM 10                | 1400       |   | WANZL                      | 1130       |
|  | GÖKÇELİK                       | 1415       |  | 12 TO 16 mm                | 1200       |
|  | KOXKA                          | 1270       |  | 6 TO 8 mm.                 | 1225, 1230 |
|  | "C" CHANNEL 35 mm.             | 1190, 3190 |   | 1 TO 3 mm.                 | 1330       |
|  | "C" CHANNEL 37 mm.             | 1195, 3195 |  | 16 TO 18 mm.               | 1450       |

**PEE 1099** ADHESIVES

Profile flat with extra strong acrylic adhesive 19 mm.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1099-00 | Transparent |
| PEE 1099-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1100** ADHESIVES

Profile flat with adhesive 25 mm 3M quality.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1100-00 | Transparent |
| PEE 1100-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1150** ADHESIVES

Profile with adhesive stripe 18 mm and double flap. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1150-00 | Transparent |
| PEE 1150-05 | Black       |



**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1155** ADHESIVES

Profile with adhesive stripe 18 mm angulation -30°.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1155-00 | Transparent |
| PEE 1155-05 | Black       |

**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.




**PEE 1160** ADHESIVES

Profile with promo holder, "t" separator and adhesive 19 mm 3M quality. With flip-up function.

**PEE 1174** ADHESIVES

Profile with extra strong acrylic adhesive 19 mm. With flip-up function.

**PEE 1175** ADHESIVES

Profile with adhesive flap 18 mm 3M quality. With flip-up function.

**PEE 1177** ADHESIVES

Profile with extra strong acrylic adhesive 19 mm, with option to insert promotional shelf strip.



**PEE 1370** ADHESIVES

Special profile high-rack with bumper option. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1370-00 | Transparent |
| PEE 1370-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 2300** ADHESIVES

Bumper accessory for flat bumper profile.



BUMPER PROFILES FOR LOWER SHELVES.  
APPLICABLE TO ALL TYPES OF COMMERCIAL SHELVES.

| CODE        | COLOR       |
|-------------|-------------|
| PEE 2300-00 | Transparent |
| PEE 2300-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 100 pcs

\*Other lengths and colors on request.

**PEE 1600** ADHESIVES

Clip fixing profile with extra strong acrylic adhesive 12 mm.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 1600-00 | Transparent |

**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

FOR:




OVA-02398-00

OVA-02399-00

**PEE 1650** ADHESIVES

15° inclination profile for flat surfaces with extra strong adhesive.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 1600-00 | Transparent |



**Lengths in stock:** 58 & 800 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1125** AMBIENT

Profile 2 angle positions for storebest, tegometall, linde, costan shelves.  
With flip-up function.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 1125-00 | Transparent |
| PEE 1125-05 | Black       |


**Lengths in stock:** 985, 1235 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.

**PEE 1126** AMBIENT

Profile with housing for shelf strip. With flip-up function.




SHELF  
STRIP

| CODE        | COLOR       |
|-------------|-------------|
| PEE 1126-00 | Transparent |


**Lengths in stock:** 985, 1235 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.

**PEE 1130** AMBIENT

Profile for rail tgmxl. 3 Positions.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1130-00 | Transparent |
| PEE 1130-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.

**PEE 1180** AMBIENT

Profile for sidac. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1180-00 | Transparent |
| PEE 1180-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.



**PEE 1185** AMBIENT

Profile for intrac - arneg amx35. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1185-00 | Transparent |
| PEE 1185-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.

**PEE 1190** AMBIENT

Profile for "C" channel shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1185-00 | Transparent |
| PEE 1185-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.

**PEE 1195** AMBIENT

Profile for "C" channel shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1185-00 | Transparent |
| PEE 1185-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.

**PEE 1196** AMBIENT

Profile for "C" channel shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1196-00 | Transparent |
| PEE 1196-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.



**PEE 1250** AMBIENT

Profile for saurina/mdt shelves. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1250-00 | Transparent |
| PEE 1250-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1260** AMBIENT

Profile for HMY P-50. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1260-00 | Transparent |
| PEE 1260-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1275** AMBIENT

Profile for HMY P-25 & alser innovation V4 shelves. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1275-00 | Transparent |
| PEE 1275-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1295** AMBIENT

Profile for la fortezza. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1295-00 | Transparent |
| PEE 1295-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.



**PEE 1300** AMBIENT

Profile for Modern Expo, Cefla System 25, Kider Ks & Caem T25 shelves.  
With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1300-00 | Transparent |
| PEE 1300-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1318** AMBIENT

Profile for AFS System 20 shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1318-00 | Transparent |
| PEE 1318-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1375** AMBIENT

Profile for Intrac IMZ25 shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1375-00 | Transparent |
| PEE 1375-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1380** AMBIENT

Profile for Intrac IMZ25 shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1380-00 | Transparent |
| PEE 1380-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.



**PEE 1400** AMBIENT

Profile for Cefla System 10 shelves. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1400-00 | Transparent |
| PEE 1400-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.

**PEE 1415** AMBIENT

Profile for Gökçelik shelves. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1415-00 | Transparent |
| PEE 1415-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1420** AMBIENT

Profile FRL. With flip-up function.



| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1420-00 | Transparent |
| PEE 1420-05 | Black       |



**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1425** AMBIENT

Profile for Wanzl shelves. With flip-up function.



| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1425-00 | Transparent |
| PEE 1425-05 | Black       |

**Lengths in stock:** 985 & 1315 mm

**Individual sizes:**

31 mm (1.6")

58 mm (2.2")


72 mm (2.9")

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1435** AMBIENT

Profile for Zaf. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1435-00 | Transparent |
| PEE 1435-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.

**PEE 1200** CLAMPS

Profile for wooden shelves from 12 to 16 mm thickness.  
With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1200-00 | Transparent |
| PEE 1200-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.

**PEE 1225** CLAMPS

Profile for glass shelves from 6 to 8 mm thickness.  
With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1225-00 | Transparent |
| PEE 1225-05 | Black       |



**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1230** CLAMPS

Profile for glass shelves from 6 to 8 mm thickness  
With promo holder and "T" separator.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1230-00 | Transparent |
| PEE 1230-05 | Black       |

**Lengths in stock:** 985 & 1315 mm



**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.



**PEE 1325** CLAMPS

Profile for wire baskets up to 8 mm diameter.  
With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1325-00 | Transparent |
| PEE 1325-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1330** CLAMPS

Profile for edges from 1 to 3 mm. With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1330-00 | Transparent |
| PEE 1330-05 | Black       |



**Lengths in stock:** 1235 & 1315 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1450** CLAMPS

Profile for wooden shelves from 16 to 28 mm thickness.  
With flip-up function.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1450-00 | Transparent |
| PEE 1450-05 | Black       |


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 24 pcs

\*Other lengths and colors on request.

**PEE 1270** FRIDGE

Profile for fridge shelves Koxka.




| CODE | COLOR |
|------|-------|
|------|-------|

|             |             |
|-------------|-------------|
| PEE 1270-00 | Transparent |
| PEE 1270-05 | Black       |

**Lengths in stock:** 920 & 1230 mm


**Order quantity:** Box of 25 pcs

\*Other lengths and colors on request.



**PEE 1290** FRIDGE

Profile for Arneg Oxaca. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1290-00 | Transparent |
| PEE 1290-05 | Black       |



**Lengths in stock:** 930 & 1235 mm

**Order quantity:** Box of 50 pcs

\*Other lengths and colors on request.

**PEE 1310** FRIDGE

Profile for Carrier / Linde refrigerator.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1310-00 | Transparent |
| PEE 1310-05 | Black       |



**Lengths in stock:** 925 & 1235 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1350** FRIDGE

Profile for Bonnet Nèvé, Arneg and Linde / Costan fridge shelves. With flip-up function.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1350-00 | Transparent |
| PEE 1350-05 | Black       |


**Lengths in stock:** 925 & 1235 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 1135** PROFILES WITH BUMPERS

Profile for storebest, tegometall, linde, costan shelves. With flip-up function and bumper.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 1135-00 | Transparent |
| PEE 1135-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 12 pcs

\*Other lengths and colors on request.



**PEE 3180** PROFILES WITH BUMPERS

Profile for "C" channel shelves. With flip-up function and bumper.



| CODE | COLOR |
|------|-------|
|------|-------|


|             |             |
|-------------|-------------|
| PEE 3180-00 | Transparent |
|-------------|-------------|

|             |       |
|-------------|-------|
| PEE 3180-05 | Black |
|-------------|-------|


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 12 pcs

\*Other lengths and colors on request.

**PEE 3185** PROFILES WITH BUMPERS

Profile for "C" channel shelves. With flip-up function and bumper.



| CODE | COLOR |
|------|-------|
|------|-------|


|             |             |
|-------------|-------------|
| PEE 3185-00 | Transparent |
|-------------|-------------|

|             |       |
|-------------|-------|
| PEE 3185-05 | Black |
|-------------|-------|


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 12 pcs

\*Other lengths and colors on request.

**PEE 3190** PROFILES WITH BUMPERS

Profile for "C" channel shelves. With flip-up function and bumper.



| CODE | COLOR |
|------|-------|
|------|-------|


|             |             |
|-------------|-------------|
| PEE 3190-00 | Transparent |
|-------------|-------------|

|             |       |
|-------------|-------|
| PEE 3190-05 | Black |
|-------------|-------|


**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 12 pcs

\*Other lengths and colors on request.

**PEE 3195** PROFILES WITH BUMPERS

Profile for "C" channel shelves. With flip-up function and bumper.



| CODE | COLOR |
|------|-------|
|------|-------|


|             |             |
|-------------|-------------|
| PEE 3195-00 | Transparent |
|-------------|-------------|

|             |       |
|-------------|-------|
| PEE 3195-05 | Black |
|-------------|-------|

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 12 pcs

\*Other lengths and colors on request.



**PEE 3196** PROFILES WITH BUMPERS

Profile for "C" channel shelves. With flip-up function and bumper.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 3196-00 | Transparent |
| PEE 3196-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 12 pcs

\*Other lengths and colors on request.



## ACCESSORIES


FOR SOLUM NEWTON ESL

**PEE 1550** ACCESSORIES

| CODE        | COLOR       |
|-------------|-------------|
| PEE 1550-00 | Transparent |

**Lengths in stock:** 60mm

**Order quantity:** Box of 5000 pcs

**OVA 09001-15** ACCESSORIES

Electronic label remover tool. Tool designed for quick and safe ESL removal.



| CODE         | MATERIAL |
|--------------|----------|
| OVA-09001-15 | ABS      |

**Order quantity:** 1 pc


To remove labels from the supports or adapters.

To remove labels from the rails or profiles.



**OVA-03010-00** ACCESSORIES

Perpendicular stopper holder clamp.




| CODE         | COLOR       | MATERIAL |
|--------------|-------------|----------|
| OVA-03010-00 | Transparent | PC       |

**Order quantity:** Box of 100 pcs  
Compatible with all profiles except METRO / MAKRO series.



**OVA-03015-00** ACCESSORIES

Front stopper holder clamp.



| CODE         | COLOR       | MATERIAL |
|--------------|-------------|----------|
| OVA-03015-00 | Transparent | PC       |

**Order quantity:** Box of 100 pcs  
Compatible with all profiles except METRO / MAKRO series.




# SHELF PROFILES

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM's MAKRO/METRO ESLs**



**PEE 2000** ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Flat profiles for shelves or flat surfaces. With two 12 mm stickers.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 2000-00 | Transparent |
| PEE 2000-05 | Black       |



**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 60 pcs

\*Other lengths and colors on request.

**PEE 2050** ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Profile with adhesive and double flap.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 2050-00 | Transparent |
| PEE 2050-05 | Black       |




**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 40 pcs

\*Other lengths and colors on request.

**PEE 2075** ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Profile for HMY P-25 & Alser innovation V4 shelves. With flip-up function.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 2075-00 | Transparent |
| PEE 2075-05 | Black       |



**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 30 pcs

\*Other lengths and colors on request.

**PEE 2100** ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Profile for Cefla System 25, Modern Expo, Kider ks & Caem T25 shelves. With flip-up function.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 2100-00 | Transparent |
| PEE 2100-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 25 pcs

\*Other lengths and colors on request.

**PEE 2025**

ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Profile double angle position for Storebest, Tegometall & Linde, Costan shelves.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 2025-00 | Transparent |
| PEE 2025-05 | Black       |

**Lengths in stock:** 985 & 1315 mm


**Order quantity:** Box of 25 pcs

\*Other lengths and colors on request.

**PEE 2125**

ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Profile for "T" rods. With various tilting positions.




| CODE        | COLOR       |
|-------------|-------------|
| PEE 2125-00 | Transparent |

**Lengths in stock:** 90 mm

**Order quantity:** Box of 250 pcs


\*Other lengths and colors on request.

The profile for "T" hooks allows the labels to be placed on "T" hooks, adapting to them with the short rod in the upper, middle or lower position, as shown in the following infographic.

**PEE 2150**

ONLY FOR SPECIAL PROGRAM MAKRO / METRO

Profile bumper rail. With anti-shock function for the bottom shelves.



| CODE        | COLOR       |
|-------------|-------------|
| PEE 2150-00 | Transparent |
| PEE 2150-05 | Black       |

**Lengths in stock:** 985 & 1315 mm

**Order quantity:** Box of 12 pcs


\*Other lengths and colors on request.

Impact-protection profile for bottom shelves. Compatible with most retail shelving systems.

# PROMO SYSTEM

Custom-made according to your needs.

Promotional transparent frontal pocket




| COLOR   | MATERIAL | THICKNESS |
|---------|----------|-----------|
| TRANSP. | PVC      | 0.3 - 0.6 |

**Order quantity:** Upon request

Custom dimensions available for all profile types and compatible with all ESL sizes.

Promotional transparent pocket



Promotional shelf strip

| COLOR | MATERIAL | THICKNESS |
|-------|----------|-----------|
| WHITE | PVC      | 0.3       |

**Order quantity:** Upon request

Customization of strip width and length.



## Promotional display for profiles PEE1160 & PEE1230



| COLOR | MATERIAL | THICKNESS |
|-------|----------|-----------|
| WHITE | PVC      | 0.3 - 0.6 |


**Order quantity:** Upon request

Customization of strip width and length.



## Customizable promotional stopper

Die-cutting pin dimensions



| COLOR | MATERIAL | THICKNESS |
|-------|----------|-----------|
| WHITE | PVC      | 0.4       |

**Order quantity:** Upon request

Custom dimensions available for all profile types and compatible with all ESL sizes.





Promotional display for all types of labels and profiles

| COLOR | MATERIAL | THICKNESS |
|-------|----------|-----------|
| WHITE | PVC      | 0.3 - 0.6 |

**Order quantity:** Upon request

Custom dimensions available for all profile types and compatible with all ESL sizes.



Promotional display for all types of labels and profiles

| COLOR | MATERIAL | THICKNESS |
|-------|----------|-----------|
| WHITE | PVC      | 0.3 - 0.6 |

**Order quantity:** Upon request

Custom dimensions available for all profile types and compatible with all ESL sizes.



innovation first®

## RETAIL SOLUTIONS CATALOGUE 2026

Discover versatile electronic shelf label supports, compatible with accessories allowing multiple positions on any surface of your business.

**EXCLUSIVE PROGRAM  
COMPATIBLE WITH SOLUM NEWTON ESLs**

✓ **NEWTON • CORE • CORE+ • PRO • LITE**

# SUPPORTS



# SUPPORTS

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM NEWTON ESLs**

## INDEX

### PAGE

**9-13**

OVS: Supports for Solum Newton ESL  
Small format

**14-24**

OVM: Supports for Solum Newton ESL  
Medium format.

**25-28**

Stand Series

**29**

Accessories for Solum Newton ESL

**30-31**

Promo System

**32-33**

Our projects

## Newton

Discover the newest and best version  
of the Electronic Shelf labels.

## Newton Pro

Next-Generation Shelf Labeling Solution.

## Newton CORE

Cost-Efficient Solution for Digitalized Retail.

## Newton LITE

Small and simple, yet powerful as Newton.

## Newton Industrial

Large-Scale Automation Made Easy.



# SUPPORTS

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM NEWTON ESLs**



NEWTON



NEWTON PRO



NEWTON CORE



NEWTON CORE+



NEWTON LITE



NEWTON INDUSTRIAL



1.6



2.2



2.6



2.7



2.9



2.9  
METRO/  
MAKRO

# OVS

## SUPPORTS FOR SMALL FORMAT

| CODE      | NEWTON |     |     |     |     | NEWTON PRO |     |     |     |     |     | NEWTON CORE |     |     |     |     | NEWTON CORE+ |     |     |     |     |
|-----------|--------|-----|-----|-----|-----|------------|-----|-----|-----|-----|-----|-------------|-----|-----|-----|-----|--------------|-----|-----|-----|-----|
|           | 1.6    | 2.2 | 2.6 | 2.7 | 2.9 | 1.6        | 2.2 | 2.6 | 2.7 | 3.5 | 2.9 | 1.6         | 2.2 | 2.6 | 2.7 | 2.9 | 1.6          | 2.1 | 2.5 | 2.8 | 3.5 |
| OVS-01000 | ✓      |     |     |     |     | ✓          |     |     |     |     |     | ✓           |     |     |     |     | ✓            |     |     |     |     |
| OVS-01020 |        | ✓   | ✓   | ✓   | ✓   |            | ✓   | ✓   | ✓   | ✓   | ✓   |             | ✓   | ✓   | ✓   | ✓   |              | ✓   | ✓   | ✓   | ✓   |
| OVS-01030 |        |     |     |     | ✓   |            |     |     |     |     |     |             |     |     |     |     |              |     |     |     |     |
| OVS-01035 |        |     |     |     |     |            |     |     |     |     |     |             |     |     |     |     |              |     |     |     |     |
| OVS-01072 |        | ✓   | ✓   | ✓   | ✓   |            | ✓   | ✓   | ✓   | ✓   | ✓   |             | ✓   | ✓   | ✓   | ✓   |              | ✓   | ✓   | ✓   | ✓   |
| OVS-01073 |        | ✓   | ✓   | ✓   | ✓   |            | ✓   | ✓   | ✓   | ✓   | ✓   |             | ✓   | ✓   | ✓   | ✓   |              | ✓   | ✓   | ✓   | ✓   |
| OVS-01082 | ✓      |     |     |     |     | ✓          |     |     |     |     |     | ✓           |     |     |     |     |              | ✓   |     |     |     |
| OVS-01083 | ✓      |     |     |     |     | ✓          |     |     |     |     |     | ✓           |     |     |     |     |              | ✓   |     |     |     |

| CODE      | NEWTON LITE |     |     |     |     | NEWTON SUB-GIGA | METRO/MAKRO |
|-----------|-------------|-----|-----|-----|-----|-----------------|-------------|
|           | 1.6         | 2.2 | 2.6 | 2.7 | 2.9 | 2.9             | 2.9         |
| OVS-01000 | ✓           |     |     |     |     |                 |             |
| OVS-01020 |             | ✓   | ✓   | ✓   | ✓   |                 |             |
| OVS-01030 |             |     |     |     | ✓   | ✓               |             |
| OVS-01035 |             |     |     |     |     |                 | ✓           |
| OVS-01072 |             | ✓   | ✓   | ✓   | ✓   |                 |             |
| OVS-01073 |             | ✓   | ✓   | ✓   | ✓   |                 |             |
| OVS-01082 | ✓           |     |     |     |     |                 |             |
| OVS-01083 | ✓           |     |     |     |     |                 |             |

# OVS SMALL FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”

## OVS-01000 For 1.6” Labels



| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVS-01000-00 | 1.6      | Transparent | PC       |
| OVS-01000-05 | 1.6      | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



## OVS-01020 For 2.2” / 2.6” / 2.7” / 2.9” / 3.5” & 4.2” Labels



| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |


| CODE         | ESL (in)  | COLOR       | MATERIAL |
|--------------|-----------|-------------|----------|
| OVS-01020-00 | 2.2 - 4.2 | Transparent | PC       |
| OVS-01020-05 | 2.2 - 4.2 | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



**OVS-01030**

For 2.9" Labels




| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVS-01030-00 | 2.9      | Transparent | PC       |
| OVS-01030-05 | 2.9      | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



**OVS-01035**

For solum 2.9" "Metro/makro" labels



| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVS-01035-00 | 2.9      | Transparent | PC       |
| OVS-01035-05 | 2.9      | Black       | PC       |


**Box units:** 100 supports.  
**Minimum order:** 1 box.



OVS SMALL FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”

OVS-01072

Magnetic support for 2.2” / 2.6” / 2.7” / 2.9” / 3.5” & 4.2” Labels.  
\*With two magnets and aligner on the back.





| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in)  | COLOR       | MATERIAL |
|--------------|-----------|-------------|----------|
| OVS-01072-00 | 2.2 - 4.2 | Transparent | PC       |
| OVS-01072-05 | 2.2 - 4.2 | Black       | PC       |

Box units: 100 supports.  
Minimum order: 1 box.

OVS-01073

Magnetic support for 2.2” / 2.6” / 2.7” / 2.9” / 3.5” & 4.2” Labels  
\*With two magnets without aligner on the back.



| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in)  | COLOR       | MATERIAL |
|--------------|-----------|-------------|----------|
| OVS-01073-00 | 2.2 - 4.2 | Transparent | PC       |
| OVS-01073-05 | 2.2 - 4.2 | Black       | PC       |

Box units: 100 supports.  
Minimum order: 1 box.

OVS-01082


Magnetic support for 1.6" Labels  
\*With two magnets and aligner on the back.



| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVS-01082-00 | 1.6      | Transparent | PC       |
| OVS-01082-05 | 1.6      | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



OVS-01083

Magnetic support for 1.6" Labels  
\*With two magnets without aligner on the back.



| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVS-01083-00 | 1.6      | Transparent | PC       |
| OVS-01083-05 | 1.6      | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.





4.2



4.3



4.3  
INDUSTRIAL



6.0



7.5



**OVM**  
SUPPORTS FOR  
MEDIUM FORMAT

| CODE      | NEWTON |     |     |     | NEWTON PRO |     |     |     | NEWTON CORE |     |     |     | NEWTON CORE+ |     |     | NEWTON SUB-GIGA |     |     |
|-----------|--------|-----|-----|-----|------------|-----|-----|-----|-------------|-----|-----|-----|--------------|-----|-----|-----------------|-----|-----|
|           | 4.2    | 4.3 | 6.0 | 7.5 | 4.2        | 4.3 | 6.0 | 7.5 | 4.2         | 4.3 | 6.0 | 7.5 | 4.2          | 5.8 | 7.5 | 4.2             | 4.3 | 7.5 |
| OVS-01020 | ✓      | ✓   | ✓   |     | ✓          | ✓   |     |     | ✓           |     | ✓   |     | ✓            | ✓   |     | ✓               |     |     |
| OVS-01072 | ✓      | ✓   | ✓   |     | ✓          | ✓   |     |     | ✓           |     | ✓   |     | ✓            | ✓   |     | ✓               |     |     |
| OVS-01073 | ✓      | ✓   | ✓   |     | ✓          | ✓   |     |     | ✓           |     | ✓   |     | ✓            | ✓   |     | ✓               |     |     |
| OVM-01090 | ✓      |     |     |     | ✓          |     |     |     | ✓           |     |     |     |              |     |     | ✓               |     |     |
| OVM-01100 | ✓      |     |     |     | ✓          |     |     |     |             |     |     |     |              |     |     | ✓               |     |     |
| OVM-01110 | ✓      |     |     |     | ✓          |     |     |     |             |     |     |     |              |     |     | ✓               |     |     |
| OVM-01120 | ✓      |     |     |     | ✓          |     |     |     |             |     |     |     |              |     |     | ✓               |     |     |
| OVM-01130 | ✓      |     |     |     | ✓          |     |     |     |             |     |     |     |              |     |     | ✓               |     |     |
| OVM-01140 | ✓      |     |     |     | ✓          |     |     |     |             |     |     |     |              |     |     | ✓               |     |     |
| OVM-01200 |        | ✓   |     |     |            |     |     |     |             |     |     |     |              |     |     |                 |     |     |
| OVM-01210 |        |     |     |     |            |     |     |     |             |     |     |     |              |     |     |                 | ✓   |     |
| OVM-01300 |        |     | ✓   | ✓   |            |     | ✓   | ✓   |             |     | ✓   | ✓   |              | ✓   | ✓   |                 |     | ✓   |
| OVM-01320 |        |     | ✓   |     |            |     |     |     |             |     | ✓   |     |              |     |     |                 |     |     |
| OVM-01360 |        |     |     | ✓   |            |     |     | ✓   |             |     |     |     |              |     |     |                 |     | ✓   |
| OVM-01380 |        |     | ✓   | ✓   |            |     | ✓   | ✓   |             |     | ✓   | ✓   |              |     | ✓   |                 |     |     |
| OVM-01385 |        |     | ✓   | ✓   |            |     | ✓   | ✓   |             |     | ✓   | ✓   |              |     | ✓   |                 |     |     |

[illegible]

OVM MEDIUM FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”



**OVS-01020** For 2.2” / 2.6” / 2.7” / 2.9” / 3.5” & 4.2” Labels




| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in)  | COLOR       | MATERIAL |
|--------------|-----------|-------------|----------|
| OVS-01020-00 | 2.2 - 4.2 | Transparent | PC       |
| OVS-01020-05 | 2.2 - 4.2 | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.




**OVM-01090** Flat support standard size for 4.2” Label



| NEWTON | PRO | CORE | CORE+ | LITE |
|--------|-----|------|-------|------|
| ✓      | ✓   | ✓    | ✓     | ✓    |

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVM-01090-00 | 4.2      | Transparent | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



**OVM-01100** Basic model inclined support for 4.2" Label

| CODE         | NEWTON / CORE /<br>PRO / LITE / M2 (in) | COLOR       | MATERIAL |
|--------------|-----------------------------------------|-------------|----------|
| OVM-01100-00 | 4.2                                     | Transparent | PC       |
| OVM-01100-05 | 4.2                                     | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.

**OVM-01110** Inclined support with adhesive strips on the base for 4.2" Labels

| CODE         | NEWTON / CORE /<br>PRO / LITE / M2 (in) | COLOR       | MATERIAL |
|--------------|-----------------------------------------|-------------|----------|
| OVM-01110-00 | 4.2                                     | Transparent | PC       |
| OVM-01110-05 | 4.2                                     | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



OVM MEDIUM FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”

**OVM-01120-00** Inclined support with magnetic strips on the base for 4.2” Labels



| CODE         | NEWTON / CORE /<br>PRO / LITE / M2 (in) | COLOR       | MATERIAL |
|--------------|-----------------------------------------|-------------|----------|
| OVM-01120-00 | 4.2                                     | Transparent | PC       |
| OVM-01120-05 | 4.2                                     | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.



**OVM-01130-00** Inclined support with suction cup on the base for 4.2” Labels



| CODE         | NEWTON / CORE /<br>PRO / LITE / M2 (in) | COLOR       | MATERIAL |
|--------------|-----------------------------------------|-------------|----------|
| OVM-01130-00 | 4.2                                     | Transparent | PC       |
| OVM-01130-05 | 4.2                                     | Black       | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.




OVM-01140-00

Inclined support with guide and screw on the base for 4.2” Labels


| CODE         | NEWTON / CORE /<br>PRO / LITE / M2 (in) | COLOR       | MATERIAL |
|--------------|-----------------------------------------|-------------|----------|
| OVM-01140-00 | 4.2                                     | Transparent | PC       |
| OVM-01140-05 | 4.2                                     | Black       | PC       |

Box units: 100 supports.  
Minimum order: 1 box.



# OVM MEDIUM FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”

## OVM-01200 For 4.3” Labels




NEWTON  
✓

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVM-01200-00 | 4.3      | Transparent | PC       |
| OVM-01200-05 | 4.3      | Black       | PC       |

Box units: 100 supports.  
Minimum order: 1 box.



## OVM-01210 For 4.3” Industrial labels




NEWTON INDUSTRIAL  
✓

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVM-01210-00 | 4.3      | Transparent | PC       |
| OVM-01210-05 | 4.3      | Black       | PC       |


Box units: 100 supports.  
Minimum order: 1 box.



**OVM-01300** For 6.0" / 7.5" / 9.7" / 11.6" / 12.2" Labels

| CODE         | NEWTON<br>(in) | PRO / CORE<br>(in) | COLOR       | MATERIAL |
|--------------|----------------|--------------------|-------------|----------|
| OVM-01300-00 | 6.0 - 11.6     | 6.0 - 12.2         | Transparent | PC       |
| OVM-01300-08 | 6.0 - 11.6     | 6.0 - 12.2         | Grey 7012   | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.

**OVM-01320** For 6.0" Labels

| NEWTON | CORE |
|--------|------|
| ✓      | ✓    |

| CODE         | ESL (in) | COLOR       | MATERIAL |
|--------------|----------|-------------|----------|
| OVM-01320-00 | 6.0      | Transparent | PC       |
| OVM-01320-08 | 6.0      | Grey 7012   | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.


# OVM MEDIUM FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”

**OVM-01360** For 7.5” Labels

NEWTON  
✓

| CODE         | ESL (in) | COLOR         | MATERIAL |
|--------------|----------|---------------|----------|
| OVM-01360-00 | 7.5      | Transparent   | PC       |
| OVM-01360-08 | 7.5      | Grey RAL 7012 | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.






**OVM-01380** For 6.0" / 7.5" / 9.7" / 11.6" / 12.2" Labels

| NEWTON | PRO | CORE | CORE+ |
|--------|-----|------|-------|
| ✓      | ✓   | ✓    | ✓     |

| CODE         | ESL (in)   | COLOR         | MATERIAL |
|--------------|------------|---------------|----------|
| OVM-01380-00 | 6.0 - 11.6 | Transparent   | PC       |
| OVM-01380-08 | 6.0 - 11.6 | Grey RAL 7012 | PC       |
| OVM-01380-85 | 6.0 - 11.6 | Grey RAL 7024 | PC       |

**Box units:** 100 supports.  
**Minimum order:** 1 box.




OVM MEDIUM FORMAT / SUPPORTS FOR “NEWTON ESL SOLUM”

**OVM-01385** For 6.0” / 7.5” / 9.7” / 11.6” / 12.2” Labels


| NEWTON | PRO | CORE | CORE+ |
|--------|-----|------|-------|
| ✓      | ✓   | ✓    | ✓     |

| CODE         | ESL (in)   | COLOR         | MATERIAL |
|--------------|------------|---------------|----------|
| OVM-01385-00 | 6.0 - 11.6 | Transparent   | PC       |
| OVM-01385-08 | 6.0 - 11.6 | Grey RAL 7012 | PC       |
| OVM-01385-85 | 6.0 - 11.6 | Grey RAL 7024 | PC       |

Box units: 100 supports.  
Minimum order: 1 box.



**OVA-02060** For OVM-01380 / OVM-01385



# STANDS


FOR SOLUM NEWTON ESL

## CUSTOM SERIES STANDS (3D)


| CODE         | NEWTON / PRO / CORE / LITE (in) | COLOR | MATERIAL |
|--------------|---------------------------------|-------|----------|
| OVM-01085-01 | 2.7                             | White | PLA      |
| OVM-01095-01 | 4.2                             | White | PLA      |
| OVM-01098-01 | 4.2                             | White | PLA      |
| OVM-01365-01 | 7.5                             | White | PLA      |
| OVM-01367-01 | 7.5                             | White | PLA      |

Consult us minimum order and price.

2.7"



4.2"




4.2"



4.2"

7.5"



7.5"

## THERMOFORMED SERIES STANDS

| CODE           | NEWTON<br>(in) | PRO<br>(in) | CORE<br>(in) | COLOR       | MATERIAL | THK<br>(mm) | DIMENSIONS<br>(mm) |
|----------------|----------------|-------------|--------------|-------------|----------|-------------|--------------------|
| PXP09610802    | 4.2            | -           | -            | Transparent | PETG     | 2           | 108x95x60          |
| PXP021089660CR | -              | -           | 4.2          | Transparent | PETG     | 2           | 108x96x60          |
| PXP021159660PR | -              | 4.2         | -            | Transparent | PETG     | 2           | 115x96x60          |
| PXP19512902    | 7.5            | -           | -            | Transparent | PETG     | 2           | 129x195x82         |
| PXP021381980CR | -              | -           | 7.5          | Transparent | PETG     | 2           | 138x198x77         |
| PXP021441985PR | -              | 7.5         | -            | Transparent | PETG     | 2           | 144x198x77         |
| PXP03195245    | -              | 9.7         | -            | Transparent | PETG     | 3           | 195x245x112        |
| PXP33140220    | 11.6           | -           | -            | Transparent | PMMA     | 3           | 140x220x125        |
| PXP03222297N   | -              | 11.6        | -            | Black       | PMMA     | 3           | 222x297x124        |

Consult us minimum order and price.

### STAND FOR ESL 4,2"



### STAND FOR ESL 7,5"



STAND FOR ESL 9,7"



STAND FOR ESL 11,6"



## WOOD SERIES STANDS

| CODE           | PRO (in) | CORE (in) | COLOR | MATERIAL    | THK (mm) | DIMENSIONS (mm) |
|----------------|----------|-----------|-------|-------------|----------|-----------------|
| PXP150880572PR | 2.2      | -         | Oak   | Wood veneer | 15       | 88x57x43        |
| PXP151191032PR | 4.2      | -         | Oak   | Wood veneer | 15       | 119x103x55      |
| PXP151551302PR | 6.0      | -         | Oak   | Wood veneer | 15       | 108x96x60       |

Consult us minimum order and price.

### STAND FOR ESL 2.2"



### STAND FOR ESL 4.2"



### STAND FOR ESL 6.0"



# ACCESSORIES

FOR "NEWTON ESL SOLUM"

## Universal clip to place promotional supplements

The universal promotional supplement clip fits all media designed for each SOLUM label size with the exception of special magnetic supports (OVS 01072 and OVS 01073), and inclined support for 4.2 labels (OVM 01100-00, OVM 01110-00, OVM 01120-00, OVM 01130-00, and OVM 01140-00).

**OVA-02405-00**

ACCESSORIES

Promo holder clip



**OVA-02415-00**

ACCESSORIES

Connector with adhesive



**Z**

ACCESSORIES

Electronic label remover tool. With this key you can easily remove labels from profiles.



**CODE**

**MATERIAL**

OVA-09001-15

ABS

**Order quantity:** 1 pc

To remove labels from the supports or accessories.



To remove labels from the rails or profiles.




# PROMO SYSTEM

Custom-made  
according to your  
needs.

Application in all small size supports.



Application in 4.2" (Standard size support).



Application in 6.0" (Standard size support)



Application in 7.5" (Standard size support).



Application in 11.6".



innovation first®

**RETAIL**  
SOLUTIONS  
CATALOGUE  
**2026**

Discover practical accessories to easily mount and position your ESL technology on any type of support.

**EXCLUSIVE PROGRAM  
COMPATIBLE WITH SOLUM NEWTON ESLs**

✓ **NEWTON • CORE • CORE+ • PRO • LITE**

**ACCESSORIES**



# ACCESSORIES

## INDEX

### PAGE

|    |                                                                                         |
|----|-----------------------------------------------------------------------------------------|
| 08 | Inclined support for Solum 6.0 Labels and 7.5 horizontal and vertical position          |
| 09 | Small base                                                                              |
| 10 | Small base adhesive                                                                     |
| 10 | Small base magnetic                                                                     |
| 11 | Magnetic clip with 2 mm neodymium magnet                                                |
| 13 | Hanging clip with wire or cable                                                         |
| 14 | Wire hanging clip 10 mm                                                                 |
| 15 | Suction cup clip front position                                                         |
| 17 | Suction cup clip back position                                                          |
| 19 | Hanging hook for rods up to ø 8 mm                                                      |
| 19 | Hanging hook for rods up to ø 12 mm                                                     |
| 21 | Hanging hook universal OVL model                                                        |
| 21 | Clip label holder for peg-hooks                                                         |
| 22 | Cho model cross hanger hook with three degrees of inclination for rods from ø 3 to 6 mm |
| 23 | Support non t-bar peghook                                                               |
| 25 | Boomerang model support bar of 35 mm in height                                          |
| 26 | Boomerang model support bar of 55 mm in height                                          |
| 27 | Boomerang model support bar of 110 mm in height                                         |
| 28 | Stand h95                                                                               |
| 29 | Stand h145                                                                              |
| 30 | Stand h195                                                                              |
| 32 | Support and hooks for hanging Solum 11.6 Labels on overhead rail                        |
| 33 | Connection piece to join two sections of aluminium overhead profile                     |
| 33 | Closing cap for the ends of the aluminum overhead profile                               |
| 34 | Profile for hanging large format labels                                                 |
| 36 | Angular connector clip                                                                  |
| 36 | Stand clip to adjust the inclination of the labels                                      |
| 37 | Double connecting rods.                                                                 |
| 38 | Base for double connected rods (length: 200 mm)                                         |
| 39 | Base with tilting bar and adjustable height                                             |
| 40 | Metal base with fixed bar and adjustable height                                         |

- 41 Metal base with telescopic bar
- 42 Base for small format supports with adjustable inclination
- 43 Clip for edge from 1 to 6 mm
- 43 Clip for edge from 1 to 12 mm
- 44 Edge clip with angle adapter from 1 to 6 mm
- 44 Edge clip with angle adapter from 1 to 12 mm
- 45 Clip for tubes and rods of  $\varnothing$  5, 10, 15 and 30 mm
- 46 Clips for shelves from 3 to 14 mm width
- 47 Clip for shelves from 8 to 18 mm thick
- 48 Clip for glass shelves from 8 to 10 mm thick with anti-slip rubber
- 49 Clip for glass shelf for thickness of 5-10 mm
- 50 Clip for wooden shelf for thickness of 16-9 mm
- 51 Clips for shelves from 8 to 18 mm width
- 52 Universal clip for shelves 5 to 30 mm thick
- 52 Clip for glass shelf for thickness of 4-6 mm
- 53 Clip for thickness 6-8 mm
- 53 Clip for thickness 12-20 mm
- 54 Universal clip to place promotional supplements
- 54 2-Position connector with strong grip adhesive
- 55 1-Position connector with foamed adhesive
- 55 Hanging hook with 9 mm connector
- 56 Hanging hook for pipes up to  $\varnothing$  20 mm with 9 mm connector
- 57 Swing clip for tegometall shelves with 9 mm connector
- 58 Deli labelholder with ring  $\varnothing$ 30.5 -  $\varnothing$ 60 -  $\varnothing$ 80 mm
- 59 Clip for medical basket, front adjustment
- 59 Ice pick dovetail (26 mm) 200 mm height
- 59 Rotating ice spike 200 mm height
- 59 Ice skewer 150 mm height
- 60 Ice pick for dovetail (9 mm) 200 mm height
- 61 Double joint gripper
- 61 Mini clip with rotating pin
- 62 Omniclipper® model gripper
- 63 Unniclipper® model gripper with rotating and adjustable rod
- 64 Unniclipper® model gripper with rotating and adjustable tube with device for supports with inserts
- 65 Gripper for boxes and baskets up to 15 mm thick with rotating and adjustable rod
- 66 Gripper for boxes and baskets up to 15 mm thick with device for supports with inserts
- 67 Telescopic tube with extendable bar from 1000 to 1900 mm
- 68 Telescopic tube with extendable bar and device for inserts
- 68 Metal bases for telescopic tube
- 69 Stand with a metal base of  $\varnothing$ 85 mm and a height of 130 mm.
- 70 Telescopic stand with extendable bar and magnetic base
- 71 Universal grip stand with clip
- 72 Promo system
- 75 Our projects

# ACCESSORIES

FOR "SOLUM NEWTON ESL"

EXCLUSIVE PROGRAM COMPATIBLE  
WITH **SOLUM NEWTON ESLs**



NEWTON



NEWTON PRO



NEWTON CORE



NEWTON CORE+



NEWTON LITE



NEWTON INDUSTRIAL




Inclined support for 6.0” and 7.5” ESL

| CODE         | LABELS (in) | COLOR         | MATERIAL |
|--------------|-------------|---------------|----------|
| OVA-01800-00 | 6.0 / 7.5   | Transparent   | PC       |
| OVA-01802-08 | 6.0 / 7.5   | Grey Ral 7012 | ABS      |


**Box units:** 25 supports.  
**Minimum order:** 1 box.

OVA- 01800-00 APPLICATION

6.0”




7.5”




OVA-01802-08

APPLICATION

6.0"



7.5"



Small base



| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01805-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

OVA- 01805-00

APPLICATION



## Small base adhesive



| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01806-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA- 01806-00** APPLICATION


## Small base magnetic



| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01807-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA- 01807-00** APPLICATION




## Magnetic clip with 2 mm neodymium magnet

| CODE         | LABELS (in)                         | COLOR         | MATERIAL |
|--------------|-------------------------------------|---------------|----------|
| OVA-01850-00 | Attachable to all program supports. | Transparent   | PC       |
| OVA-01850-08 |                                     | GREY RAL 7012 | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-01850-00

#### APPLICATION

1.6"



2.2"



2.6"



2.7"



2,9"



2.9" Metro / Makro labels



4.2" (reduced size support)



**OVA-01850-00** APPLICATION

4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)




6.0" (standard size support)



7.5" (standard size support)





## Hanging clip with wire or cable

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01860-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-01860-00 APPLICATION

1.6"



2.2"



2.6"




2.7"




2,9"



2.9" Metro / Makro labels



4.2" (reduced size support)



OVA-01850-00

APPLICATION

4.2"



6.0" (reduced size support)



7.5" (reduced size support)



Wire hanging clip 10 mm

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01865-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-01865-05 |                                     | Black       | PC       |

**Box units:** 20  
**Minimum order:** 1 box.




## Suction cup clip front position

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01870-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-01870-00

#### APPLICATION



## OVA-01870-00 APPLICATION

4.2"





4.3"

4.3" Industrial





6.0" (reduced size support)

7.5" (reduced size support)



6.0" (standard size support)

7.5" (standard size support)





Suction cup clip back position

| CODE          | LABELS (in)                         | COLOR       | MATERIAL |
|---------------|-------------------------------------|-------------|----------|
| OVA- 01880-00 | Attachable to all program supports. | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-01880-00 APPLICATION

1.6"



2.2"



2.6"



2.7"



2,9"



2.9" Metro / Makro labels



4.2" (reduced size support)




**OVA-01880-00** APPLICATION

4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)



6.0" (standard size support)



7.5" (standard size support)





Hanging hook for ø 8 mm rods

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01890-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-01896-05 |                                     | Black       | Acetal   |

Box units: 20  
Minimum order: 1 box.




Hanging hook for ø 12 mm rods

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-01900-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-01996-05 |                                     | Black       | Acetal   |

Box units: 20  
Minimum order: 1 box.

OVA-01890-00 / OVA-01896-00 / OVA-01900-00 / OVA-01996-05


APPLICATION



**OVA-01890-00 / OVA-01896-00 / OVA-01900-00 / OVA-01996-05**

APPLICATION


4.2" (reduced size support)



4.2"



4.3"



4.3" Industrial



6.0" (reduced size support)



7.5" (reduced size support)



6.0" (standard size support)



7.5" (standard size support)







## Hanging hook universal OVL model

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02000-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

### OVA-02000-00

#### APPLICATION




## Clip label holder for peg-hooks

| CODE        | LABELS (in)           | LENGTH (mm) | COLOR       | MATERIAL |
|-------------|-----------------------|-------------|-------------|----------|
| PBS99061136 | 1.6                   | 36          | Transparent | PVC      |
| PBS99061146 | 2.2 / 2.6 / 2.7 / 2.9 | 46          | Transparent | PVC      |

**Box units:** 100  
**Minimum order:** 1 box.


### PBS99061136

#### APPLICATION



### PBS99061146

#### APPLICATION




Cho model cross hanger hook with three degrees of inclination for rods from ø 3 to 6 mm



| CODE         | LABELS (in)                 | COLOR       | MATERIAL |
|--------------|-----------------------------|-------------|----------|
| OVA-02010-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Transparent | PC       |

Box units: 100  
Minimum order: 1 box.

OVA-02010-00 APPLICATION



T-Hook Attachment Fits Short Top, Axial, or Bottom Rod Hooks Rod.



Short top rod



Short axial rod



Short bottom rod



It allows you to adjust the inclination according to the height at which the label is placed so that it is always facing the customer.




REAR tilt  
for labels placed in levels of high exposure



NO INCLINATION  
for labels located at eye level



FRONT tilt  
for labels placed in levels of low exposure



Support non t-bar peghook

| CODE         | LABELS<br>(in)       | LENGTH<br>(mm) | COLOR       | MATERIAL |
|--------------|----------------------|----------------|-------------|----------|
| OVA-02026-00 |                      | 150            | Transparent | PC       |
| OVA-02027-00 | 1.6 / 2.2            | 200            | Transparent | PC       |
| OVA-02028-00 | / 2.6 /<br>2.7 / 2.9 | 250            | Transparent | PC       |
| OVA-02029-00 |                      | 300            | Transparent | PC       |

Box units: 100  
Minimum order: 1 box.

OVA-02026-00 APPLICATION





OVA-02027-00 APPLICATION




OVA-02028-00 APPLICATION







OVA-02029-00 APPLICATION





1.6"







1.6"



Placing the support on the simple hook



Placing the support on the double hook.





Boomerang model support bar of 35 mm in height

| CODE         | LABELS (in)                 | COLOR       | MATERIAL |
|--------------|-----------------------------|-------------|----------|
| OVA-02030-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Transparent | PC       |
| OVA-02036-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Black       | Acetal   |

**Box units:** 25  
**Minimum order:** 1 box.

**OVA-02030-00** APPLICATION



**OVA-02036-05** APPLICATION





Boomerang model support  
bar of 55 mm in height

| CODE         | LABELS (in)                 | COLOR       | MATERIAL |
|--------------|-----------------------------|-------------|----------|
| OVA-02040-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Transparent | PC       |
| OVA-02046-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Black       | Acetal   |

**Box units:** 25  
**Minimum order:** 1 box.

**OVA-02040-00** APPLICATION



**OVA-02046-05** APPLICATION





Boomerang model support  
bar of 110 mm in height

| CODE         | LABELS (in)                       | COLOR       | MATERIAL |
|--------------|-----------------------------------|-------------|----------|
| OVA-02050-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Transparent | PC       |
| OVA-02056-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Black       | Acetal   |

**Box units:** 25  
**Minimum order:** 1 box.

**OVA-02050-00** APPLICATION



**OVA-02056-05** APPLICATION



Stand h95



| CODE         | LABELS (in)                 | COLOR       | MATERIAL |
|--------------|-----------------------------|-------------|----------|
| OVA-02057-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Transparent | PC       |
| OVA-02057-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | Black       | Acetal   |

**Box units:** 25  
**Minimum order:** 1 box.

OVA-02057-00 APPLICATION



OVA-02057-05 APPLICATION



# Stand h145



| CODE         | LABELS (in)                       | COLOR       | MATERIAL |
|--------------|-----------------------------------|-------------|----------|
| OVA-02058-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Transparent | PC       |
| OVA-02058-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Black       | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

## OVA-02058-00

APPLICATION



## OVA-02058-05

APPLICATION



Stand h195



| CODE         | LABELS (in)                       | COLOR       | MATERIAL |
|--------------|-----------------------------------|-------------|----------|
| OVA-02059-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Transparent | PC       |
| OVA-02059-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | Black       | Acetal   |


**Box units:** 25  
**Minimum order:** 1 box.


**OVA-02059-00** APPLICATION



**OVA-02059-05** APPLICATION








Support and hooks for hanging  
Newton 11.6 ESL on overhead rail

| CODE          | LABELS (in) | COLOR       | MATERIAL |
|---------------|-------------|-------------|----------|
| OVA-02062-08  | 11.6        | Grey 7012   | ABS      |
| OVA-02070-00  | 11.6        | Transparent | PC       |
| OVA-02080-00* | 11.6        | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.  
\*Available soon

**OVA-02062-08** APPLICATION




**Box units:** 5  
**Minimum order:** 1 box.

**OVA-02070-00** APPLICATION




**Box units:** 50  
**Minimum order:** 1 box.

**OVA-02080-00** APPLICATION



**Box units:** 50  
**Minimum order:** 1 box.

## Connection piece to join two sections of aluminum overhead profile



| CODE         | COLOR | MATERIAL |
|--------------|-------|----------|
| OVA-02106-05 | Black | ABS      |

**Box units:** 4  
**Minimum order:** 1 box.

## Closing cap for the ends of the aluminum overhead profile




| CODE         | COLOR | MATERIAL |
|--------------|-------|----------|
| OVA-02110-05 | Black | ABS      |

**Box units:** 2  
**Minimum order:** 1 box.

**OVA-02080-00**

APPLICATION







## Profile For Hanging Large format Labels

| CODE     | COLOR           | LENGTH (mm) | MATERIAL |
|----------|-----------------|-------------|----------|
| PEE-1901 | White           | 2000        | Aluminum |
| PEE-1902 | Red Ral 3028    |             |          |
| PEE-1903 | Blue Ral 5005   |             |          |
| PEE-1904 | Green Ral 6024  |             |          |
| PEE-1905 | Black           |             |          |
| PEE-1955 | Anodized Silver |             |          |
| PEE-1966 | Light Oak       |             |          |
| PEE-1967 | Dark Oak        |             |          |

We can manufacture the profiles in other anodized finishes and colors.

**Box units:** 20  
**Minimum order:** 1 box.







## Angular connector clip

It provides different angles of inclination on accessories that require the use of this connector. Essential for the stand clip, double connecting rods, omniclipper® clamps, uniclipper® clippers and clippers for boxes and baskets.

| CODE         | COLOR | MATERIAL |
|--------------|-------|----------|
| OVA-02300-01 | White | Acetal   |
| OVA-02300-05 | Black | Acetal   |

**Box units:** 50  
**Minimum order:** 1 box.



## Stand clip to adjust the inclination of the labels

Angular connector needed (not included)

| CODE         | LABELS (in)                       | COLOR | MATERIAL |
|--------------|-----------------------------------|-------|----------|
| OVA-02305-01 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 4.2 | White | Acetal   |
| OVA-02305-05 |                                   | Black | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02305-01 APPLICATION



### OVA-02305-05 APPLICATION





## Double connection rods


They allow the supports and accessories that require the use of these rods to be displayed at different heights.

Must-have for adding standard size supports to ESL Newton 6.0" And 7.5" Supports, rod bases, omnclipper® clamps, and clamps for boxes and baskets.

| TRANSPARENT  | WHITE        | BLACK        | LENGTH (mm) |
|--------------|--------------|--------------|-------------|
| OVA-02310-00 | OVA-02310-01 | OVA-02310-05 | 10          |
| OVA-02315-00 | OVA-02315-01 | OVA-02315-05 | 35          |
| OVA-02320-00 | OVA-02320-01 | OVA-02320-05 | 60          |
| OVA-02325-00 | OVA-02325-01 | OVA-02325-05 | 120         |
| OVA-02330-00 | OVA-02330-01 | OVA-02330-05 | 170         |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02325-01 APPLICATION



### OVA-02325-05 APPLICATION





# Base for double connection rods

RODS NOT INCLUDED

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02600-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-02600-05 |                                     | Black       | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

## OVA-02600-00 / OVA-02600-05 APPLICATION







Base with tilting bar and adjustable height (length: 200 mm)

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02605-00 | Attachable to all program supports. | Black | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

OVA-02605-00

APPLICATION





## Metal base with fixed bar and adjustable height

Special for hot surfaces

| METAL COLOR  | COLOR BLACK  | LABELS (in)                                       | BAR HEIGHT (mm) |
|--------------|--------------|---------------------------------------------------|-----------------|
| OVA-02610-20 | OVA-02610-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 2.9 Metro / Makro   | 100             |
| OVA-02615-20 | OVA-02615-05 | 4.2 / 4.3 / 4.3 industrial 6.0 / 7.5 reduced size | 185             |

**Box units:** 20

**Minimum order:** 1 box.

### OVA-02610-20 / OVA-02610-05 APPLICATION



### OVA-02615-20 / OVA-02615-05 APPLICATION





## Metal base with telescopic bar

| CODE         | LABELS (in)                                       | COLOR | BAR HEIGHT (mm) |
|--------------|---------------------------------------------------|-------|-----------------|
| OVA-02620-05 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 2.9 Metro / Makro   | Black | 150 < 250       |
| OVA-02625-05 | 4.2 / 4.3 / 4.3 industrial 6.0 / 7.5 reduced size |       | 250 < 400       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02620-05 APPLICATION



### OVA-02625-05 APPLICATION







Base for small format supports  
with adjustable inclination

| CODE         | COLOR       | LABELS (in)                                      | MATERIAL |
|--------------|-------------|--------------------------------------------------|----------|
| OVA-02631-00 | Transparent | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 / 2.9<br>Metro-Makro | PC       |

Box units: 20  
Minimum order: 1 box.

OVA-02631-00 APPLICATION






Clip for edge from 1 to 6 mm

| CODE         | LABELS (in)                                         | COLOR | MATERIAL |
|--------------|-----------------------------------------------------|-------|----------|
| OVA-02340-01 | Can be attached to all the supports of the program. | White | Acetal   |
| OVA-02340-05 |                                                     | Black | Acetal   |

Box units: 100  
Minimum order: 1 box.




Clip for edge from 1 to 12 mm

| CODE         | LABELS (in)                                         | COLOR | MATERIAL |
|--------------|-----------------------------------------------------|-------|----------|
| OVA-02345-01 | Can be attached to all the supports of the program. | White | Acetal   |
| OVA-02345-05 |                                                     | Black | Acetal   |

Box units: 100  
Minimum order: 1 box.

OVA-02340-01 / OVA-02340-05 / OVA-02345-01 / OVA-02345-05

APPLICATION





## Edge clip with angle adapter from 1 to 6 mm

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02350-01 | Attachable to all program supports. | White | Acetal   |
| OVA-02350-05 |                                     | Black | Acetal   |

**Box units:** 100  
**Minimum order:** 1 box.



## Edge clip with angle adapter from 1 to 12 mm

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02355-01 | Attachable to all program supports. | White | Acetal   |
| OVA-02355-05 |                                     | Black | Acetal   |

**Box units:** 100  
**Minimum order:** 1 box.


### OVA-02350-01 APPLICATION



### OVA-02350-05 APPLICATION



### OVA-02355-01 APPLICATION



### OVA-02355-05 APPLICATION



Rod max. Ø 5 mm



Rod max. Ø 10 mm



Rod max. Ø 15 mm



Rod max. Ø 30 mm



Clip for tubes and rods  
of Ø 5, 10, 15 and 30 mm

| WHITE        | BLACK        | Ø MAX.<br>(mm) | LABELS (in)                                  | MATERIAL |
|--------------|--------------|----------------|----------------------------------------------|----------|
| OVA-02360-01 | OVA02360-05  | 5              | Attachable<br>to all<br>program<br>supports. | Acetal   |
| OVA-02365-01 | OVA-02365-05 | 10             |                                              | Acetal   |
| OVA-02370-01 | OVA-02370-05 | 15             |                                              | Acetal   |
| OVA-02375-01 | OVA-02375-05 | 30             |                                              | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

OVA-02360-01



OVA-02360-05



OVA-02365-01



OVA-02365-05



OVA-02370-01



OVA-02370-05



OVA-02375-01



OVA-02375-05






Clips for shelves from 3 to 14 mm width

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02377-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-02377-05 |                                     | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-02377-00** APPLICATION



LOWER POSITION



UPPER POSITION




Clips for shelves from 8 to 18 mm width


| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02385-00 | Attachable to all program supports. | Transparent | PC       |
| OVA-02390-00 |                                     | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-02385-00** LOWER POSITION



**OVA-02390-00** UPPER POSITION





Clip for glass shelves from 8 to 10 mm thickness with anti-slip rubber


| CODE         | LABELS (in)                         | THICKNESS | COLOR       | MATERIAL |
|--------------|-------------------------------------|-----------|-------------|----------|
| OVA-02395-00 | Attachable to all program supports. | 8         | Transparent | PC       |
| OVA-02397-00 |                                     | 10        | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

**OVA-02395-00** FOR 8 mm WIDTH SHELVES



**OVA-02397-00** FOR 10 mm WIDTH SHELVES







Clip for glass shelf  
for thickness of 5-10 mm




| CODE         | LABELS (in)                 | THICKNESS (mm) | COLOR       | MATERIAL |
|--------------|-----------------------------|----------------|-------------|----------|
| OVA-02398-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | 5-10           | Transparent | PC       |
| OVA-02398-05 |                             |                | Black       | PC       |


Box units: 100  
Minimum order: 1 box.

OVA-02398 APPLICATION



4 TILT POSITIONS





Clip for wooden shelf  
for thickness of 16-19 mm





| CODE         | LABELS (in)     | THICKNESS (mm) | COLOR       | MATERIAL |
|--------------|-----------------|----------------|-------------|----------|
| OVA-02399-00 | 1.6 / 2.2 / 2.6 | 16-19          | Transparent | PC       |
| OVA-02399-05 | 2.7 / 2.9       |                | Black       | PC       |

Box units: 100  
Minimum order: 1 box.


OVA-02399 APPLICATION



PEE1600 profile is placed under the wooden shelf.



4 TILT POSITIONS



Clips for shelves from 8  
to 18 mm width




| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02400-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-02400-00** APPLICATION



## Universal swing clip for shelves from 5 to 30 mm width



| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02402-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02402-00

#### APPLICATION



## Clip for glass shelf for thickness of 4-6 mm



| CODE         | LABELS (in)                 | THICKNESS (mm) | COLOR       | MATERIAL |
|--------------|-----------------------------|----------------|-------------|----------|
| OVA-03020-00 | 1.6 / 2.2 / 2.6 / 2.7 / 2.9 | 4-6            | Transparent | PC       |


**Box units:** 100  
**Minimum order:** 1 box.

### OVA-03020-00

#### APPLICATION



Various tilt positions.






## Clip for thickness 6-8 mm

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02403-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02403-00

#### APPLICATION




## Clip for thickness 12-20 mm

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02404-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02404-00

#### APPLICATION






## Universal clip to place promotional supplements

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02405-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02405-00 APPLICATION



## Two position connector With strong grip adhesive

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02410-05 | Attachable to all program supports. | Black | Acetal   |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02410-05 APPLICATION






One position connector  
with strong grip adhesive

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02415-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

#### OVA-02415-00 APPLICATION





Hanger hook with 9 mm connector

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02420-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

#### OVA-02420-00 APPLICATION






Hanging hook for tubes up to  
Ø 20 mm with 9 mm connector

| CODE         | LABELS (in)                         | COLOR       | MATERIAL |
|--------------|-------------------------------------|-------------|----------|
| OVA-02425-00 | Attachable to all program supports. | Transparent | PC       |

**Box units:** 100  
**Minimum order:** 1 box.

**OVA-02425-00**

APPLICATION







## Swing clip for tegometall shelves with 9 mm connector

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02430-01 | Attachable to all program supports. | White | ABS      |

**Box units:** 20  
**Minimum order:** 1 box.

### OVA-02430-01

#### APPLICATION



## Deli labelholder with ring Ø30.5 - Ø60 - Ø80 mm



| CODE         | LABELS (in)                    | Ø (mm) | COLOR | MATERIAL         |
|--------------|--------------------------------|--------|-------|------------------|
| OVA-02700-01 | 1.6 / 2.2 / 2.6<br>/ 2.7 / 2.9 | 30.5   | White | Polyoxymethylene |
| OVA-02701-01 |                                | 60     | White | Polyoxymethylene |
| OVA-02702-01 |                                | 80     | White | Polyoxymethylene |

**Box units:** 100  
**Minimum order:** 1 box.

### OVA-02700-01 APPLICATION



1,6"



### OVA-02701-01 APPLICATION



2.2"



### OVA-02702-01 APPLICATION



2.9"







Clip for medical basket, front adjustment

| CODE         | LABELS (in) | COLOR | MATERIAL |
|--------------|-------------|-------|----------|
| OVA-02750-08 | 1.6 - 2.2   | Grey  | PLA      |

Box units: 20  
Minimum order: 1 box.

2.2"



Ice pick dovetail (26 mm)  
200 mm height

| CODE         | LABELS (in) | COLOR | MATERIAL |
|--------------|-------------|-------|----------|
| OVE-01754-05 | 4.2 - 6.0   | Black | PC       |

Box units: 20  
Minimum order: 1 box.

Rotating ice spike 200 mm height

| CODE         | LABELS (in) | COLOR       | MATERIAL |
|--------------|-------------|-------------|----------|
| OVE-01760-00 | 4.2 - 6.0   | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.



Ice skewer 150 mm height


| CODE         | LABELS (in) | COLOR       | MATERIAL |
|--------------|-------------|-------------|----------|
| OVE-01770-00 | 1.6 - 4.2   | Transparent | PC       |

Box units: 20  
Minimum order: 1 box.


OVE-01770-00

APPLICATION

4.2" ESL WITH SUPPORT OVM-01090-00



4.2" ESL WITH SUPPORT OVM-01020-00



Ice pick for dovetail (9 mm) 200 mm height

| CODE         | LABELS (in) | COLOR            | MATERIAL           |
|--------------|-------------|------------------|--------------------|
| OVE-01780-00 | 1.6 - 4.2   | Transpa-<br>rent | Polycarbo-<br>nate |

Box units: 20  
Minimum order: 1 box.

OVE-01780-00

APPLICATION

4.2" ESL WITH SUPPORT OVM-01090-00



4.2" ESL WITH SUPPORT OVM-01020-00





Double joint gripper

| CODE         | LABELS (in)                         | COLOR | MATERIAL |
|--------------|-------------------------------------|-------|----------|
| OVA-02800-05 | Attachable to all program supports. | Black | PC       |

Box units: 50  
Minimum order: 1 box.

OVA-02800-05 APPLICATION




Mini clip with rotating pin

| CODE         | LABELS (in) | COLOR       | MATERIAL |
|--------------|-------------|-------------|----------|
| OVA-02802-00 | 1.6 / 2.2   | Transparent | PC       |

Box units: 50  
Minimum order: 1 box.

OVA-02802-00 APPLICATION

1.6"



2.2"



Gripper omniclipper® model



| TRANSPARENT  | BLACK COLOR  | ROD MEASURE (mm) | LABELS (in)                         |
|--------------|--------------|------------------|-------------------------------------|
| OVA-02805-00 | OVA-02805-05 | 35               | Attachable to all program supports. |
| OVA02810-00  | OVA-02810-05 | 60               |                                     |

Box units: 20  
Minimum order: 1 box.


**OVA-02805-00** With 35 mm rod



**OVA-02805-05** With 35 mm rod



**OVA-02810-00** With 60 mm rod



**OVA-02810-05** With 60 mm rod



## Uniclipper® model gripper with rotating and adjustable rod



| CODE         | LABELS (in)                         | ROD LENGTH (mm) | COLOR       | MATERIAL |
|--------------|-------------------------------------|-----------------|-------------|----------|
| OVA-02815-00 | Attachable to all program supports. | 100             | Transparent | PC       |
| OVA-02820-00 |                                     | 150             | Transparent | PC       |

**Box units:** 20

**Minimum order:** 1 box.

**02815-00** ROD 100 mm

**02820-00** ROD 150 mm






Uniclipper® model gripper with rotating and adjustable tube with device for supports with inserts

| CODE         | LABELS (in) | TUBE LENGTH (mm) | COLOR       | MATERIAL |
|--------------|-------------|------------------|-------------|----------|
| OVA-02825-00 | 6.0 - 11.6  | 150              | Transparent | PC       |

Box units: 10  
Minimum order: 1 box.

OVA-02825-00

APPLICATION





Gripper for boxes and baskets  
up to 15 mm thick swiveling with  
double connection rods

| CODE         | LABELS (in)                            | ROD LENGTH (mm) | COLOR | MATERIAL |
|--------------|----------------------------------------|-----------------|-------|----------|
| OVA-02830-05 | Attachable to all<br>program supports. | 60              | Black | ABS      |
| OVA-02835-05 |                                        | 120             |       | ABS      |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-02830-05**

ROD 60 mm

**OVA-02835-05**

ROD 120 mm






Gripper for boxes and baskets  
up to 15 mm thick with device for  
supports with inserts

| CODE         | LABELS (in) | TUBE LENGTH (mm) | COLOR | MATERIAL |
|--------------|-------------|------------------|-------|----------|
| OVA-02840-05 | 6.0 - 11.6  | 150              | Black | ABS      |

Box units: 10  
Minimum order: 1 box.

OVA-02840-05 APPLICATION





OVA-02900-08

OVA-02901-08


## Telescopic tube with extendable bar from 1000 to 1900 mm

| CODE         | LABELS<br>(in) | HEIGHT MIN./MAX<br>(mm) | COLOR    | MATERIAL |
|--------------|----------------|-------------------------|----------|----------|
| OVA-02900-08 | 11.6           | 1000 / 1900             | Anodized | Aluminum |
| OVA-02901-08 | 6.0 - 11.6     | 1000 / 1900             | Anodized | Aluminum |


**Box units:** 5  
**Minimum order:** 1 box.

### OVA-02900-08 APPLICATION

TELESCOPIC TUBE WITH SUPPORT  
OVA-02062-08 FOR SOLUM 11.6" LABELS.



TELESCOPIC TUBE WITH SUPPORT  
OVA-02060-00 AND OVM-01380  
FOR SOLUM 6.0" - 11.6" LABELS.



### OVA-02901-08 APPLICATION

TELESCOPIC TUBE WITH SUPPORT OVM-01380 FOR  
SOLUM 6.0" - 11.6" LABELS LABELS.





## Telescopic tube with extendable bar and device for inserts

| CODE         | LABELS (in) | HEIGHT MIN./MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|-----------------------|----------|----------|
| OVA-02905-08 | 6.0 - 11.6  | 300 / 510             | Anodized | Aluminum |

**Box units:** 5

**Minimum order:** 1 box.



## Metal bases for telescopic tube

| CODE         | DIMENSIONS | COLOR    | MATERIAL |
|--------------|------------|----------|----------|
| OVA-02940-08 | 160x200    | RAL 9006 | Metal    |
| OVA-02945-08 | Ø 240      | RAL 9006 | Metal    |

**Box units:** 10

**Minimum order:** 1 box.

### OVA-02905-08 APPLICATION

TUBE 02905-08 WITH BASE 02640-08



TUBE 02905-08 WITH BASE 02645-08





Stand with a metal base of Ø85 mm  
and a height of 130 mm

| CODE         | LABELS (in) | HEIGHT MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|------------------|----------|----------|
| OVA-02918-08 | 6.0 - 7.5   | 130              | Anodized | Aluminum |

**Box units:** 5  
**Minimum order:** 1 box.

## OVA-02918-08 APPLICATION

Application with OVM-01380 support  
in vertical direction for ESL 7.5"




Application with OVM-01380 support  
in horizontal direction for ESL 7.5"



Stand with a metal base of Ø85 mm  
and a height of 200 mm

| CODE         | LABELS (in) | HEIGHT MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|------------------|----------|----------|
| OVA-02919-08 | 11.6        | 200              | Anodized | Aluminum |

**Box units:** 5  
**Minimum order:** 1 box.



Telescopic stand with extendable bar and magnetic base

| CODE         | LABELS (in) | HEIGHT MIN./MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|-----------------------|----------|----------|
| OVA-02920-08 | 6.0 - 11.6  | 200 / 300             | Anodized | Aluminum |

Box units: 5  
Minimum order: 1 box.

OVA-02920-08 APPLICATION

Application with OVM-01380 support in vertical direction for ESL 7.5"



Application with OVM-01380 support in horizontal direction for ESL 7.5"





## Universal grip stand with clip

| CODE         | LABELS (in) | HEIGHT MIN./MAX. (mm) | COLOR    | MATERIAL |
|--------------|-------------|-----------------------|----------|----------|
| OVA-02915-08 | 6.0 - 11.6  | 250 / 500             | Anodized | Aluminum |

**Box units:** 5  
**Minimum order:** 1 box.

### **OVA-02915-08** APPLICATION

7.5" WITH SUPPORT OVM-01380



# PROMO SYSTEM

Custom-made  
according to your  
needs.





Universal clip to place  
Promotional supplements

| CODE         | LABELS (in)                            | COLOR       | MATERIAL |
|--------------|----------------------------------------|-------------|----------|
| OVA-02405-00 | Attachable to all<br>program supports. | Transparent | PC       |

**Box units:** 20  
**Minimum order:** 1 box.

**OVA-02405-00** APPLICATION IN ALL SIZE SUPPORTS






## Perpendicular stopper holder clamp

| CODE         | COLOR       | MATERIAL |
|--------------|-------------|----------|
| OVA-03010-00 | TRANSPARENT | PC       |

**Order quantity:** Box of 100 pcs

Applicable on all profiles except  
METRO / MAKRO series.

### OVA-03010-00 APPLICATION



## Front stopper holder clamp

| CODE         | COLOR   | MATERIAL |
|--------------|---------|----------|
| OVA-03015-00 | TRANSP. | PC       |

**Order quantity:** Box of 100 pcs

Applicable on all profiles except  
METRO / MAKRO series.

### OVA-03015-00 APPLICATION



## Newton

Discover the newest and best version  
of the Electronic Shelf labels.

## Newton Pro

Next-Generation Shelf Labeling Solution.

## Newton CORE

Cost-Efficient Solution for Digitalized Retail.

## Newton LITE

Small and simple, yet powerful as Newton.

## Newton Industrial

Large-Scale Automation Made Easy.

